

2021 STEEL SHAFTS





A PIONEER OF PERFORMANCE STEEL SHAFTS

As the first shaft manufacture in Japan, Shimada Golf Mfg. Co., Ltd. has been producing "made in Japan" steel shaft since 1930. We strive to develop and produce high quality and performance steel shafts for over 80 years as a pioneer in the golf industry in Japan.

Since 1970s, we have applied the Counter Balance Design Concept to our shafts. The balance point shifted to the butt area helps players to keep a steady and consistent swing plane and to accelerate the clubhead speed at the impact.

Currently, our steel shafts are produced from a metal pipe with our own drawing processing method which is contrary to the ordinary processing method of other steel shafts processed from a metal plate. This Seamless Processing Method enables to produce spinefree shafts with excellent circularity.

> +44(0)3333582044 ShimadaShafts.com

LAUNCH & SPIN CHART

SHIMADA STEEL

SPECIFICATIONS



SHIMADA STEEL TAPER	Flex	Length	Weight	Tip Dia
TOUR	S, X	3 – PW	123	.355
TOUR-MID	R, S	3 – PW	115	.355
TOUR LITE	R, S	3 – PW	106	.355
CONSTANT	R, S	3 – PW	93 98	.355
NINE9	R, S	3 – PW	95	.355

SHIMADA STEEL WEDGES	Flex	Length	Weight	Tip Dia
TOUR WEDGE BLK	W	35.5	123	.355
TOUR WEDGE	W	35.5	111	.355



SHIMADA STEEL PARALLEL	Flex	Length	Weight	Tip Dia
PRO	R, S, X	42	126	.370
S-LITE	A, R, S	41.5	102	.370
U-LITE	L, A, R	42	97	.370
VWS LITE	R,S	42	82	.370
VWS MID	R,S	42	92	.370
VWS TOUR	R, S, X	42	109	.370

TAPER | CHARACTERISTICS

SHIMADA STEEL

TAPER | CHARACTERISTICS

	Shimada ()				Shimada)		
							Alan 🖂 Giner
	TOUR	TOUR MID	TOUR LITE		CONSTANT	NINE9	
Butt Mid Tip	FIRM FIRM FIRM	FIRM MED-FIRM MED-FIRM	MEDIUM MEDIUM MEDIUM	Butt Mid Tip	MEDIUM MED-ACTIVE MED-ACTIVE	MED-ACTIVE MEDIUM MED-FIRM	
Тетро	MED-FAST	MEDIUM	MEDIUM	Tempo	SLOW-MED	MEDIUM	
Load	STRONG	MEDIUM	SMOOTH-MED	Load	SMOOTH	SMOOTH-MED	
Transition	FAST	MEDIUM	SLOW-MED	Transition	SLOW	MEDIUM	-
Feel	FIRM	SMOOTH	SMOOTH	Feel	SMOOTH	SMOOTH	
Launch	LOW-MID	MID	MID	Launch	MID-HIGH	MID	
Spin	LOW	LOW-MID	MID	Spin	MID	MID	

SHIMADA STEEL

TAPER WEDGES | CHARACTERISTICS

PARALLEL | CHARACTERISTICS



	TOUR WEDGE BLACK	TOUR WEDGE		PRO	S-LITE	U-LITE
Butt	FIRM	MEDIUM	Butt	FIRM	MEDIUM	MEDIUM
Mid	FIRM	MEDIUM	Mid	FIRM	MEDIUM	MED-ACTIVE
Tip	MEDIUM	MEDIUM	Tip	FIRM	ACTIVE	ACTIVE

Tempo	MED-FAST	SLOW-MED	Tempo	MED-FAST	SLOW-MED	SLOW
Load	STRONG	SMOOTH-MED	Load	MED-STRONG	SMOOTH-MED	SMOOTH
Transition	FAST	SLOW-MED	Transition	FAST	SLOW-MED	SLOW
Feel	FIRM	SMOOTH	Feel	FIRM	SMOOTH	SMOOTH
Launch	LOW-MID	LOW	Launch	LOW	HIGH	HIGH
Spin	MID-HIGH	HIGH	Spin	LOW	MID-HIGH	HIGH

PARALLEL | CHARACTERISTICS

			• •	• •				• •	•		• •			•		•			• •			• •		• •	
			• • •	• •				• •					• •	•									•	• •	
		• • •	• •										• •	•									•		
			• • •	• • •		• •	•••		•••	•••		•.•	• •			•	• •	•••		••		• •	•.•		
•	_				5	1		-		1-		AY	15	TO	UR	MADOT		-	_	_	_	_	_		ľ.
•.														-							•				ľ,
•	• •	•••	••••			•••	•.•		•••	•.•	• •	•.•	• •	•••	•••	•••	• •	•.•		• •	• • •	· • •	• ••		ľ,
•	• •	•••				• •	•.•		• • •	• •	•••	•.•	•••	• • •		•••	•••	• .•		• •	• • •	· • •	•.•		ŀ,
					• •	•		•		• •					• •	• •	•	•_•		•	• •		•_•		ł,
•	-			-	<u></u>	17	17		-7-	1-	7	V VV	5	MI	- 12	ULINYCE	10022								ŀ,
• .	• • •	•••	••••				•.•		• • •	•.•	•••	•.•		• • •	• •	••	• •	• .•		•	• • •	· • •	• •		ŀ,
	• •	• •							•	•		• •			•			• •		•	• •		• •		ŀ,
•	• •	• •							• •	•		•.•					•	• •		•	• •		• •		
•			_			_		_	-	1		0.00	-	-		-	-	-	_				-	-	
	-	-	-	-						-	V	W		_		MADE IN	-1019214				-				F
					-							-						-	-						

	VWS LITE	VWS MID	VWS TOUR
Butt Mid Tip	MEDIUM MED-ACTIVE ACTIVE	MEDIUM MEDIUM ACTIVE	FIRM FIRM FIRM
Tempo	SLOW	SLOW-MED	MED-FAST
Load	SMOOTH	SMOOTH-MED	MED-STRONG
Transition	SLOW	SLOW-MED	FAST
Feel	SMOOTH	SMOOTH	FIRM
Launch	MID-HIGH	MID	MID-LOW
Spin	MID-HIGH	MID	MID-LOW